





PSM 440 700 DM LİTE

Testere Tezgahı









1440 700 DM LITE

TEKNİK ÖZELLİKLER



A	1690 mm 66.14 inch	B	2800 mm 110.24 inch	C	1870 mm 73.62 inch	D	1980 mm 77.95 inch	E	950 mm 37.40 inch	hmax	2690 mm 105.91 inch
---	-----------------------	---	------------------------	---	-----------------------	---	-----------------------	---	----------------------	------	------------------------

 Yan Otomatik Semi Automatic	 Şerit Ölçüsü Blade Dimension 41 x 1.3 x 5270 mm 1 1/2 x 0.050 x 207.5 inch	 Şerit Motoru Blade Motor 4 kW - 1500 d/d 5.36 hp - 1500 rpm	 Sürücü Motor Feeding Motor Manuel Manuel
 Hidrolik Motor Hydraulic Pump Motor 0.75 kW - 1400 d/dk 0.5 hp - 1400 rpm	 Soğutucu Motor Cooling Liquid Motor 0.12 kW - 3000 d/dk 0.16 hp - 3000 rpm	 Voltaj Voltage 400 V 400 V	 Maksimum Güç Maximum Power 4.87 kW 6.53 hp
 Kesme Hızı Cutting Speed 15 m/dk - 100 m/dk 49 m/dk - 328 ft/min	 Ağırlık Weight 1750 kg 3800 lbs	 Malzeme Sıkma Sistemi Material Clamping System Hidrolik Hydraulic	 Şerit Germe Sistemi Blade Tensioning System Hidromekanik Hydramechanic

 90°		mm inch								
Kesim Kapasitesi Cutting Capacity	Kesim Kapasitesi Cutting Capacity			340 mm 13.38 inch	440 mm 17.32 inch	440 mm 17.32 inch	440 mm 17.32 inch	440 mm 17.32 inch	440 mm 17.32 inch	340 mm 13.38 inch
440 mm 17.32 inch	700 mm 27.55 inch			330 mm 12.99 inch	430 mm 16.92 inch	440 mm 17.32 inch	440 mm 17.32 inch	440 mm 17.32 inch	430 mm 16.92 inch	330 mm 12.99 inch
				330 x 330 mm 12.99 x 12.99 inch	380 x 500 mm 14.96 x 19.68 inch	440 x 600 mm 17.32 x 23.62 inch	440 x 700 mm 17.32 x 27.55 inch	440 x 600 mm 17.32 x 23.62 inch	380 x 500 mm 14.96 x 19.68 inch	330 x 330 mm 12.99 x 12.99 inch